

**To:** Li, Corine[Li.Corine@epa.gov]  
**From:** Brown, Jamesr  
**Sent:** Sat 8/8/2015 5:46:01 PM  
**Subject:** RE: Question about sustained capacity for purchase water systems

Ok, great.

Sent from my Windows Phone

---

**From:** Li, Corine  
**Sent:** 8/8/2015 12:33 PM  
**To:** Brown, Jamesr  
**Subject:** Re: Question about sustained capacity for purchase water systems

The only other surface water supply (other than Farmington-NTUA) system (Mexican hat) has had intakes off line since before spill.

Sent from my iPhone

On Aug 8, 2015, at 10:13 AM, Brown, Jamesr <[brown.jamesr@epa.gov](mailto:brown.jamesr@epa.gov)> wrote:

Good idea for Navajo water systems to fill storage tanks to capacity and close intakes as well before the plume reaches that area.

Jim

Sent from my Windows Phone

---

**From:** Restivo, Angela  
**Sent:** 8/7/2015 8:02 PM  
**To:** Foster, Althea; Crossland, Ronnie; Webster, Susan; Brown, Jamesr; Garcia, David; McCasland, Mark  
**Subject:** Question about sustained capacity for purchase water systems

I just spoke with Stephanie Stringer of NMED Drinking Water Bureau, NMED will be working with these systems to ensure they enact their Emergency Action Plan for this response. The Emergency Action Plans should cover additional sources of water that would be used should a drinking water systems typical source no longer be available for use. Should the proposed option not work they will work with the system to find other solutions.

They will start following up with the systems tomorrow by 11:00am CT. They will provide their findings from this activity as soon as they have completed this activity. We should be able to discuss in our 1:00 pm CT call.

If you would like to see the emergency plans for these system prior to that time please let me know.

Thanks

Angela

**From:** shuryn, danielle, NMENV [<mailto:danielle.shuryn@state.nm.us>]  
**Sent:** Friday, August 07, 2015 2:43 PM  
**To:** Restivo, Angela  
**Cc:** Stephanie.Stringer\_state.nm.us  
**Subject:** FW: EPA Meeting notice today at 1:30

Hi Angela

I believe that you all wanted the storage capacity info today. Please forward it as necessary.

Thanks

Danielle

**Danielle Shuryn**

Sustainable Water Infrastructure Group (SWIG) Manager

NMED Drinking Water Bureau

Santa Fe Office: Runnels Bldg. S2061

Office (505)476-8637

Cell (505) 467-9333

**From:** shuryn, danielle, NMENV  
**Sent:** Friday, August 07, 2015 1:37 PM  
**To:** Majure, Allison, NMENV; Kliphuis, Trais, NMENV; Roberts, Kathryn, NMENV; Hunter, Michelle, NMENV; Hogan, James, NMENV; Yurdin, Bruce, NMENV; McQuillan, Dennis, NMENV; Longmire, Patrick, NMENV; Tongate, Butch, NMENV; king, jack, NMENV; Flynn, Ryan, NMENV; Kendall, Jeff, NMENV

**Subject:** RE: EPA Meeting notice today at 1:30

Report out from calls made to water systems today. All systems have been topping off their storage tanks and have shut intakes in preparation for the plume hitting. Let me know if you have questions on any of this information. Thanks Danielle

<image001.png>

**Danielle Shuryn**

Sustainable Water Infrastructure Group (SWIG) Manager

NMED Drinking Water Bureau

Santa Fe Office: Runnels Bldg. S2061

Office (505)476-8637

Cell (505) 467-9333

**From:** Majure, Allison, NMENV

**Sent:** Friday, August 07, 2015 11:52 AM

**To:** Kliphuis, Trais, NMENV; Roberts, Kathryn, NMENV; Hunter, Michelle, NMENV; Hogan, James, NMENV; Yurdin, Bruce, NMENV; McQuillan, Dennis, NMENV; Longmire, Patrick, NMENV; shuryn, danielle, NMENV; Tongate, Butch, NMENV; king, jack, NMENV; Flynn, Ryan, NMENV; Kendall, Jeff, NMENV

**Subject:** FYI: EPA Meeting notice today at 1:30

FYI. Also, this distribution represents my internal technical working group for continuing updates. Trais and team, please advise if I should include (or remove) anyone.

Best,

Allison

Allison Scott Majure

NMED | 505.231.8800

**From:** Gray, David [<mailto:gray.david@epa.gov>]  
**Sent:** Friday, August 07, 2015 11:21 AM  
**To:** Majure, Allison, NMENV  
**Subject:** Meeting notice

On Friday, August 7, 2015 at 1:30 p.m., the Environmental Protection Agency (EPA) will hold a public meeting to share information and answer questions about the contamination of the Animas River by the Gold King Mine in San Juan County, Colorado. This meeting will be held in the Board Room of the County Administration Building at 1101 E 2nd Avenue, Durango. Shaun McGrath, the Regional Administrator for the EPA Region 8 from Denver will be hosting this meeting.

A Call Center has been set up for the public at 970-385-8700. As additional information is received, it will be posted to the La Plata County website at <http://www.co.laplata.co.us/emergency>, San Juan Basin Health Department's Website at [www.sjbhd.org](http://www.sjbhd.org) <<http://www.sjbhd.org>>, La Plata County Government Facebook and San Juan Basin Health Department Facebook.

Sent from my iPhone